

# References

## Chapter 11

- 1 Merlo J, Chaix B, Yang M, Lynch J, Rastam L. A brief conceptual tutorial of multilevel analysis in social epidemiology: linking the statistical concept of clustering to the idea of contextual phenomenon. *Journal of Epidemiology & Community Health*. 2005;59(6):443–9.
- 2 Merlo J, Chaix B, Yang M, Lynch J, Rastam L. A brief conceptual tutorial on multilevel analysis in social epidemiology: interpreting neighbourhood differences and the effect of neighbourhood characteristics on individual health. *Journal of Epidemiology & Community Health*. 2005;59(12):1022–8.
- 3 Merlo J, Yang M, Chaix B, Lynch J, Rastam L. A brief conceptual tutorial on multilevel analysis in social epidemiology: investigating contextual phenomena in different groups of people. *Journal of Epidemiology & Community Health*. 2005;59(9):729–36.
- 4 Merlo J, Chaix B, Ohlsson H, Beckman A, Johnell K, Hjerpe P, et al. A brief conceptual tutorial of multilevel analysis in social epidemiology: using measures of clustering in multilevel logistic regression to investigate contextual phenomena. *Journal of Epidemiology & Community Health*. 2006;60(4):290–7.
- 5 Leyland A, Goldstein H. Multilevel modelling of health statistics. Chichester, John Wiley & Sons, 2001.
- 6 Snijders TAB. *Multilevel Analysis: An Introduction to Basic and Advanced Multilevel Modeling*, 2nd edn. Thousand Oaks, CA, Sage Publications, 2011.
- 7 Hjerpe P, Ohlsson H, Lindblad U, Bostrom KB, Merlo J. Understanding adherence to therapeutic guidelines: a multilevel analysis of statin prescription in the Skaraborg Primary Care Database. *European Journal of Clinical Pharmacology*. 2011;67(4):415–23.
- 8 Singer JD, Willett JB. *Applied Longitudinal Data Analysis: Modeling Change and Event Occurrence*. Oxford and New York, Oxford University Press, 2003.
- 9 Leckie G, Goldstein H. Understanding uncertainty in school league tables. *Fiscal Studies*. 2011;doi:10.1111/j.1475-5890.2011.00133.
- 10 Merlo J, Viciana-Fernandez FJ, Ramiro-Farinés D; Research Group of Longitudinal Database of Andalusian Population. Bringing the individual back to small-area variation studies: a multilevel analysis of all-cause mortality in Andalusia, Spain. *Social Science & Medicine*. 2012;75(8):1477–87.
- 11 Merlo J, Ostergren PO, Broms K, Björck-Linne A, Liedholm H. Survival after initial hospitalisation for heart failure: a multilevel analysis of patients in Swedish acute care hospitals. *Journal of Epidemiology & Community Health*. 2001;55(5):323–9.
- 12 Merlo J, Gerdtham UG, Eckerlund I, Hakansson S, Otterblad-Olausson P, Pakkanen M, et al. Hospital level of care and neonatal mortality in low- and high-risk deliveries: reassessing the question in Sweden by multilevel analysis. *Medical Care*. 2005;43(11):1092–100.
- 13 Hjerpe P, Ohlsson H, Lindblad U, Bostrom KB, Merlo J. Understanding adherence to therapeutic guidelines: a multilevel analysis of statin prescription in the Skaraborg Primary Care Database. *European Journal of Clinical Pharmacology*. 2011;67(4):415–23.
- 14 Ohlsson H, Chaix B, Merlo J. Therapeutic traditions, patient socioeconomic characteristics and physicians' early new drug prescribing – a multilevel analysis of rosuvastatin prescription in south Sweden. *European Journal of Clinical Pharmacology*. 2009;65(2):141–50.
- 15 Ohlsson H, Librero J, Sundquist J, Sundquist K, Merlo J. Performance evaluations and league tables: do they capture variation between organizational units? An analysis of 5 Swedish phar-

## 2 References

---

- macological performance indicators. *Medical Care.* 2011;49(3):327–31.
- 16 de Jong JD, Groenewegen PP, Spreeuwenberg P, Westert GP, de Bakker DH. Do decision support systems influence variation in prescription? *BMC Health Services Research.* 2009;9:20.
- 17 Davis P, Gribben B. Rational prescribing and inter-practitioner variation. A multilevel approach. *International Journal of Technology Assessment in Health Care.* 1995;11(3):428–42.
- 18 Ohlsson H, Vervloet M, van Dijk L. Practice variation in a longitudinal perspective: a multilevel analysis of the prescription of simvastatin in general practices between 2003 and 2009. *European Journal of Clinical Pharmacology.* 2011;67(12):1205–11.
- 19 Vervloet M, Spreeuwenberg P, Bouvy ML, Heerdink ER, de Bakker DH, van Dijk L. Lazy sunday afternoons: the negative impact of interruptions in patients' daily routine on adherence to oral antidiabetic medication. A multilevel analysis of electronic monitoring data. *European Journal of Clinical Pharmacology.* 2013;69(8):1599–606.
- 20 Merlo J, Liedholm H, Lindblad U, Björck-Linne A, Falt J, Lindberg G, et al. Prescriptions with potential drug interactions dispensed at Swedish pharmacies in January 1999: cross sectional study. *British Medical Journal.* 2001;323(7310):427–8.
- 21 Browne WJ, Goldstein H, Rasbash J. Multiple membership multiple classification (MMMC) models. *Statistical Modelling.* 2001;1:103–24.
- 22 Browne WJ, Goldstein H, Rasbash J. Multiple membership multiple classification (MMMC) models. *Statistical Modelling.* 2001;1(2):103–24.
- 23 Killip S, Mahfoud Z, Pearce K. What is an intra-cluster correlation coefficient? Crucial concepts for primary care researchers. *Annals of Family Medicine.* 2004;2(3):204–8.
- 24 Merlo J. Changing analytical approaches in European epidemiology – a short comment on a recent article. *European Journal of Epidemiology.* 2005;20(8):737; author reply 8.
- 25 Morgenstern H. Ecological studies. In: Rothman KJ, Greenland S, eds. *Modern Epidemiology*, 2nd edn. Philadelphia, Lippincott-Raven, 1998: 459–80.
- 26 Merlo J, Ostergren PO, Hagberg O, Lindstrom M, Lindgren A, Melander A, et al. Diastolic blood pressure and area of residence: multilevel versus ecological analysis of social inequity. *Journal of Epidemiology & Community Health.* 2001;55(11):791–8.
- 27 Öppna jämförelser av hälso- och sjukvårdens kvalitet och effektivitet Jämförelser mellan landsting 2008. Stockholm, 2009.
- 28 Adab P, Rouse AM, Mohammed MA, Marshall T. Performance league tables: the NHS deserves better. *British Medical Journal (Clinical Research Edition).* 2002;324(7329):95–8.
- 29 Goldstein H, Spiegelhalter D. League tables and their limitations: statistical issues in comparisions of institutional performance. *Journal of the Royal Statistical Society Series A.* 1996;159(Part 3):385–443.
- 30 Ibanez B, Librero J, Bernal-Delgado E, Peiro S, Gonzalez Lopez-Valcarcel B, Martinez N, et al. Is there much variation in variation? Revisiting statistics of small area variation in health services research. *BMC Health Services Research.* 2009;9(1):60.
- 31 Thomas N, Longford NT, Rolph JE. Empirical Bayes methods for estimating hospital-specific mortality rates. *Statistics in Medicine.* 1994;13(9):889–903.
- 32 van Houwelingen H, Brand R, Louis T. Empirical Bayes methods for monitoring health care quality. Available from: [http://www.researchgate.net/publication/238566111\\_Empirical\\_Bayes\\_methods\\_for\\_monitoring\\_health\\_care\\_quality](http://www.researchgate.net/publication/238566111_Empirical_Bayes_methods_for_monitoring_health_care_quality) (last accessed 18 November 2015).
- 33 Bird S, Cox D, Farewell V, Goldstein H, Holt T, Smith P. Performance indicators: good, bad and ugly. *Journal of the Royal Statistical Society Series A.* 2005;168(1):1–27.
- 34 Leyland AH, Boddy FA. League tables and acute myocardial infarction. *Lancet.* 1998;351(9102): 555–8.
- 35 Petronis KR, Anthony JC. A different kind of contextual effect: geographical clustering of cocaine incidence in the USA. *Journal of Epidemiology and Community Health.* 2003;57(11):893–900.
- 36 Wagner P, Merlo J. Measures of discriminatory accuracy in multilevel analysis. *European Journal of Epidemiology.* 2013;28(1 Suppl.):135.
- 37 Merlo J, Asplund K, Lynch J, Rastam L, Dobson A. Population effects on individual systolic blood pressure: a multilevel analysis of the World Health Organization MONICA Project. *American Journal of Epidemiology.* 2004;159(12):1168–79.
- 38 Ohlsson H, Lindblad U, Lithman T, Ericsson B, Gerdtham UG, Melander A, et al. Understanding

- adherence to official guidelines on statin prescribing in primary health care – a multi-level methodological approach. *European Journal of Clinical Pharmacology*. 2005;61(9):657–65.
- 39** Rasbash J, Browne W, Goldstein H, Yang M, Plewis I, Healy M, et al. Modelling the variance as a function of explanatory variables. A user's guide to MLwiN Version 21. version 2.1. Multilevel Models Project, Institute of Education, University of London, 2000: 77–88.
- 40** Merlo J. Multilevel analytical approaches in social epidemiology: measures of health variation compared with traditional measures of association. *Journal of Epidemiology & Community Health*. 2003;57(8):550–2.
- 41** Merlo J, Ohlsson H, Lynch KF, Chaix B, Subramanian SV. Individual and collective bodies: using measures of variance and association in contextual epidemiology. *Journal of Epidemiology & Community Health*. 2009;63(12):1043–8.
- 42** Wagner P, Merlo J. Discriminatory accuracy of a random effect in multilevel logistic regression. 20th IEA World Congress of Epidemiology (WCE2014). 2014.
- 43** Merlo J, Wagner P. Assessment of Specific and General Contextual Effects in Observational Epidemiology: Multilevel Logistic Regression Analysis of Discriminatory Accuracy. Working Paper. 2014.
- 44** Fung V, Schmittiel J, Fireman B, Meer A, Thomas S, Smider N, et al. Meaningful variation in performance. *Medical Care*. 2010;48(2):140–8.
- 45** Merlo J. Invited commentary: multilevel analysis of individual heterogeneity – a fundamental critique of the current probabilistic risk factor epidemiology. *American Journal of Epidemiology*. 2014;180(2):208–12; disc. 213–14.
- 46** Merlo J. Invited commentary: multilevel analysis of individual heterogeneity – a fundamental critique of the current probabilistic risk factor epidemiology. *American Journal of Epidemiology*. 2014;180(2):208–12.
- 47** Merlo J, Lynch JW, Yang M, Lindstrom M, Ostergren PO, Rasmussen NK, et al. Effect of neighborhood social participation on individual use of hormone replacement therapy and antihypertensive medication: a multilevel analysis. *American Journal of Epidemiology*. 2003;157(9):774–83.
- 48** Ohlsson H, Merlo J. Is there important variation among health care institutions? *Medical Care*. 2010;48(8):757–8; author reply 8.
- 49** Benson HR. An introduction to benchmarking in healthcare. *Radiology Management*. 1994;16(4):35–9.
- 50** Larsen K, Merlo J. Appropriate assessment of neighborhood effects on individual health: integrating random and fixed effects in multilevel logistic regression. *American Journal of Epidemiology*. 2005;161(1):81–8.
- 51** Li J, Gray BR, Bates DM. An empirical study of statistical properties of variance partition coefficients for multi-level logistic regression models. *Communications in Statistics – Simulation and Computation*. 2008;37:2010–26.
- 52** Browne WJ, Subramanian SV, Jones K, Goldstein H. Variance partitioning in multilevel logistic models that exhibit overdispersion. *Journal of the Royal Statistical Society: Series A (Statistics in Society)*. 2005;168(3):599–613.
- 53** Goldstein H, Browne W, Rasbash J. Partitioning variation in generalised linear multilevel models. *Understanding Statistics*. 2002;1:223–32.
- 54** Ohlsson H, Chaix B, Merlo J. Therapeutic traditions, patient socioeconomic characteristics and physicians' early new drug prescribing – a multi-level analysis of rosuvastatin prescription in south Sweden. *European Journal of Clinical Pharmacology*. 2009;65(2):141–50.
- 55** Campbell MK, Piaggio G, Elbourne DR, Altman DG, Group C. Consort 2010 statement: extension to cluster randomised trials. *British Medical Journal*. 2012;345:e5661.
- 56** Larsen K, Petersen JH, Budtz-Jorgensen E, Endahl L. Interpreting parameters in the logistic regression model with random effects. *Biometrics*. 2000;56(3):909–14.