

# References

## Chapter 26

- 1 Rosdahl VT, Pedersen KB. The Copenhagen Recommendations. Report from the Invitational EU Conference on the Microbial Threat. Copenhagen, Denmark 9–10 September 1998. Available from: [http://soapimg.icecube.snowfall.se/strama/Kopenhamnsmotet\\_1998.pdf](http://soapimg.icecube.snowfall.se/strama/Kopenhamnsmotet_1998.pdf) (last accessed 18 November 2015).
- 2 Howell L, ed. *Global Risks 2013: An Initiative of the Risk Response Network*. Geneva, World Economic Forum, 2013.
- 3 Kaplan W, Laing R. Priority Medicines for Europe and the World 2004. Available from: [http://apps.who.int/iris/bitstream/10665/68769/1/WHO\\_EDM\\_PAR\\_2004.7.pdf](http://apps.who.int/iris/bitstream/10665/68769/1/WHO_EDM_PAR_2004.7.pdf) (last accessed 18 November 2015).
- 4 Kaplan W, Wirtz VJ, Mantel-Teeuwisse A, Stolk P, Duthey B, Laing R. Priority Medicines for Europe and the World – 2013 Update. Available from: [http://www.who.int/medicines/areas/priority\\_medicines/MasterDocJune28\\_FINAL\\_Web.pdf](http://www.who.int/medicines/areas/priority_medicines/MasterDocJune28_FINAL_Web.pdf) (last accessed 18 November 2015).
- 5 World Health Organization. Draft Global Action Plan on Antimicrobial Resistance. Available from: <http://who.int/drugresistance/en/> (last accessed 18 November 2015).
- 6 Nordic Medico Statistical Committee (NOMESCO). Nordic Statistics on Medicines. Statistical Report of the Nordic Countries 1975–1977. Available from: <https://unov.tind.io/record/9196?ln=en> (last accessed 18 November 2015).
- 7 Nordic Medico Statistical Committee (NOMESCO). Health Statistics for the Nordic Countries 2013. Available from: <http://nowbase.org/~media/Projekt%20sites/Nowbase/Publikationer/Helse/Health%20Statistics%202013.ashx> (last accessed 18 November 2015).
- 8 Statens Serum Institut, National Veterinary Institute, National Food Institute. DANMAP – Use of Antimicrobial Agents and Occurrence of Antimicrobial Resistance in Bacteria from Food Animals, Food and Humans in Denmark. Available from: [http://www.danmap.org/Downloads/~/media/Projekt%20sites/Danmap/DANMAP%20reports/Danmap\\_2011.ashx](http://www.danmap.org/Downloads/~/media/Projekt%20sites/Danmap/DANMAP%20reports/Danmap_2011.ashx) (last accessed 18 November 2015).
- 9 The Dutch Working Party on Antibiotic Policy SWAB. Consumption of Antimicrobial Agents and Antimicrobial Resistance among Medically Important Bacteria in The Netherlands. Available from: [http://www.rivm.nl/Documenten\\_en\\_publicaties/Wetenschappelijk/Rapporten/2015/juni/Nethmap\\_2015\\_Consumption\\_of\\_antimicrobial\\_agents\\_and\\_antimicrobial\\_resistance\\_among\\_medicallyImportant\\_bacteria\\_in\\_the\\_Netherlands\\_Maran\\_2015\\_Monitoring\\_of\\_antimicrobial\\_resistance\\_and\\_antibiotic\\_usage\\_in\\_animals\\_in\\_the\\_Netherlands\\_in](http://www.rivm.nl/Documenten_en_publicaties/Wetenschappelijk/Rapporten/2015/juni/Nethmap_2015_Consumption_of_antimicrobial_agents_and_antimicrobial_resistance_among_medicallyImportant_bacteria_in_the_Netherlands_Maran_2015_Monitoring_of_antimicrobial_resistance_and_antibiotic_usage_in_animals_in_the_Netherlands_in) (last accessed 18 November 2015).
- 10 Public Health Agency of Sweden and National Veterinary Institute. A Report on Swedish Antibiotic Utilisation and Resistance in Human Medicine (SWEDRES) and Swedish Veterinary Antimicrobial Resistance Monitoring (SVARM). Available from: <https://www.folkhalsomyndigheten.se/page-files/17612/Swedres-Svarm-2013.pdf> (last accessed 18 November 2015).
- 11 NORM/NORM-VET. Usage of Antimicrobial agents and Occurrence of Antimicrobial Resistance in Norway. Available from: <http://www.vetinst.no/eng/Publications/NORM-NORM-VET-Report> (last accessed 18 November 2015).
- 12 Shaban RZ, Cruickshank M, Christiansen K; The Antimicrobial Resistance Standing Committee. National surveillance and reporting of antimicrobial resistance and antibiotic usage for human health in Australia. Available from:

## 2 References

---

- http://www.safetyandquality.gov.au/publications/national-surveillance-and-reporting-of-antimicrobial-resistance-and-antibiotic-usage-for-human-health-in-australia/ (last accessed 18 November 2015).
- 13 Government of Canada, Public Health Agency of Canada. Canadian Integrated Program for Antimicrobial Resistance Surveillance (CIPARS) Human Antimicrobial Use Short Report 2000–2010. Available from: http://www.phac-aspc.gc.ca/cipars-picra/pubs-eng.php (last accessed 18 November 2015).
- 14 Infectious Diseases Society of America. IDSA Press Release STAAR Act. Available from: http://www.idsociety.org/uploadedFiles/IDSA/Policy\_and\_Advocacy/Current\_Topics\_and\_Issues/Antimicrobial\_Resistance/Strengthening\_US\_Efforts/STAAR\_Act/IDSA%20STAAR%20press%20release%20Brown%20reintro%2041014%20FINAL.pdf (last accessed 18 November 2015).
- 15 One Health Initiative website: www.onehealthinitiative.com.
- 16 European Medicines Agency. Trends in the Sales of Veterinary Antimicrobial Agents in Nine European Countries. Available from: http://www.ema.europa.eu/docs/en\_GB/document\_library/Report/2011/09/WC500112309.pdf (last accessed 18 November 2015).
- 17 Collignon P, Powers JH, Chiller TM, Aidara-Kane A, Aarestrup FM. World Health Organization ranking of antimicrobials according to their importance in human medicine: a critical step for developing risk management strategies for the use of antimicrobials in food production animals. *Clinical Infectious Diseases*. 2009;49(1):132–41.
- 18 Aidara-Kane A, Andremont A, Collignon P. Antimicrobial resistance in the food chain and the AGISAR initiative. *Journal of Infection and Public Health*. 2013;6(3):162–5.
- 19 Bronzwaer SL, Cars O, Buchholz U, Molstad S, Goetsch W, Veldhuijzen IK, et al. A European study on the relationship between antimicrobial use and antimicrobial resistance. *Emerging Infectious Diseases*. 2002;8(3):278–82.
- 20 Goossens H, Ferech M, Vander Stichele R, Elseviers M. Outpatient antibiotic use in Europe and association with resistance: a cross-national database study. *Lancet*. 2005;365(9459):579–87.
- 21 van de Sande-Bruinsma N, Grundmann H, Verloo D, Tiemersma E, Monen J, Goossens H, et al. Antimicrobial drug use and resistance in Europe. *Emerging Infectious Diseases*. 2008;14(11):1722–30.
- 22 Schechner V, Temkin E, Harbarth S, Carmeli Y, Schwaber MJ. Epidemiological interpretation of studies examining the effect of antibiotic usage on resistance. *Clinical Microbiology Reviews*. 2013;26(2):289–307.
- 23 Costelloe C, Metcalfe C, Lovering A, Mant D, Hay AD. Effect of antibiotic prescribing in primary care on antimicrobial resistance in individual patients: systematic review and meta-analysis. *British Medical Journal* 2010;340:c2096.
- 24 Malhotra-Kumar S, Lammens C, Coenen S, Van Herck K, Goossens H. Effect of azithromycin and clarithromycin therapy on pharyngeal carriage of macrolide-resistant streptococci among healthy volunteers: a randomised, double-blind, placebo-controlled study. *Lancet*. 2007;369:482–90.
- 25 Chung A, Perera R, Brueggemann AB, Elamin AE, Harnden A, Mayon-White R, et al. Effect of antibiotic prescribing on antibiotic resistance in individual children in primary care: prospective cohort study. *British Medical Journal*. 2007;335:429.
- 26 Little P, Gould C, Williamson I, Warner G, Gantley M, Kinmonth AL. Reattendance and complications in a randomised trial of prescribing strategies for sore throat: the medicalising effect of prescribing antibiotics [see comments]. *British Medical Journal*. 1997;315:350–2.
- 27 Weil-Olivier C, van der Linden M, de Schutter I, Dagan R, Mantovani L. Prevention of pneumococcal diseases in the post-seven valent vaccine era: a European perspective. *BMC Infectious Diseases*. 2012;12:207-2334-12-207.
- 28 Adriaenssens N, Coenen S, Versporten A, Muller A, Minalu Ayele G, Faes C, et al. European Surveillance of Antimicrobial Consumption (ESAC): outpatient antibiotic use in Europe (1997–2009). *Journal of Antimicrobial Chemotherapy*. 2011;66(Suppl. 6):vi3–12.
- 29 Adriaenssens N, Coenen S, Versporten A, Muller A, Vankerckhoven V, Goosens H, et al. European Surveillance of Antimicrobial Consumption (ESAC): quality appraisal of outpatient antibiotic use in Europe. *Journal of Antimicrobial Chemotherapy*. 2011;66(Suppl. 6):vi71–7.

- 30** Coenen S, Gielen B, Blommaert A, Beutels P, Hens N, Goossens H. Appropriate international measures for outpatient antibiotic prescribing and consumption: recommendations from a national data comparison of different measures. *Journal of Antimicrobial Chemotherapy*. 2014;69:529–34.
- 31** Bruyndonckx R, Hens N, Aerts M, Goossens H, Molenberghs G, Coenen S. Measuring trends of outpatient antibiotic use in Europe: jointly modelling longitudinal data in defined daily doses and packages. *Journal of Antimicrobial Chemotherapy*. 2014;69(7):1981–6.
- 32** Van Boeckel TP, Gandra S, Ashok A, Caudron Q, Grenfell BT, Levin SA, et al. Global antibiotic consumption 2000 to 2010: an analysis of national pharmaceutical sales data. *Lancet Infectious Diseases*. 2014;14(8):742–50.
- 33** Coenen S, Ferech M, Malhotra-Kumar S, Hendrickx E, Suetens C, Goossens H, et al. European Surveillance of Antimicrobial Consumption (ESAC): outpatient macrolide, lincosamide and streptogramin (MLS) use in Europe. *Journal of Antimicrobial Chemotherapy*. 2006;58:418–22.
- 34** Ferech M, Coenen S, Malhotra-Kumar S, Dvorakova K, Hendrickx E, Suetens C, et al. European Surveillance of Antimicrobial Consumption (ESAC): outpatient quinolone use in Europe. *Journal of Antimicrobial Chemotherapy*. 2006;58:423–7.
- 35** Statens Serum Institut, National Veterinary Institute, National Food Institute. DANMAP 2012 – Use of Antimicrobial Agents and Occurrence of Antimicrobial Resistance in Bacteria from Food Animals, Food and Humans in Denmark. Available from: [http://www.danmap.org/Downloads/~/media/Projekt%20sites/Danmap/DANMAP%20reports/DANMAP%202012/Danmap\\_2012.ashx](http://www.danmap.org/Downloads/~/media/Projekt%20sites/Danmap/DANMAP%20reports/DANMAP%202012/Danmap_2012.ashx) (last accessed 18 November 2015).
- 36** Coenen S, Ferech M, Haaijer-Ruskamp FM, Butler CC, Vander Stichele RH, Verheij TJM, et al. European Surveillance of Antimicrobial Consumption (ESAC): quality indicators for outpatient antibiotic use in Europe. *Quality & Safety in Health Care*. 2007;16(6):440–5.
- 37** Versporten A, Bolokhovets G, Ghazaryan L, Abilova V, Pyshnik G, Spasojevic T, et al. Antibiotic use in eastern Europe: a cross-national database study in coordination with the WHO Regional Office for Europe. *Lancet Infectious Diseases*. 2014;14(5):381–7.
- 38** WHO Regional Office for Europe and Universiteit Antwerpen. Four-fold difference in antibiotic consumption across the European Region – new WHO report. Available from: <http://www.euro.who.int/en/media-centre/sections/press-releases/2014/four-fold-difference-in-antibiotic-consumption-across-the-european-region-new-who-report> (last accessed 18 November 2015).
- 39** Goossens H, Ferech M, Coenen S, Stephens P; European Surveillance of Antimicrobial Consumption Project Group. Comparison of outpatient systemic antibacterial use in 2004 in the United States and 27 European countries. *Clinical Infectious Diseases*. 2007;44(8):1091–5.
- 40** Australian Government Department of Health. Australian Statistics on Medicines 2011. Available from: <http://www.pbs.gov.au/info/news/2014/04/asm-2011> (last accessed 18 November 2015).
- 41** European Centre for Disease Prevention and Control. Surveillance of Antimicrobial Consumption in Europe 2011. Available from: <http://ecdc.europa.eu/en/publications/Publications/antimicrobial-consumption-europe-surveillance-2011.pdf> (last accessed).
- 42** Wirtz VJ, Dreser A, Gonzales R. Trends in antibiotic utilization in eight Latin American countries, 1997–2007. *Revista Panamericana de Salud Pública*. 2010;27(3):219–25.
- 43** World Health Organization, UNICEF. Building a Future for Women and Children. The 2012 Report. Available from: [http://www.unicef.org/eapro/Countdown\\_to\\_2015.pdf](http://www.unicef.org/eapro/Countdown_to_2015.pdf) (last accessed 18 November 2015).
- 44** Grigoryan L, Haaijer-Rysjamp FM, Burgerhof JG, Mechtiler R, Deschepper R, Tambic-Andrasevic A, et al. Self-medication with antimicrobial drugs in Europe. *Emerging Infectious Diseases*. 2006;12(3):452–9.
- 45** Grigoryan L, Monnet DL, Haaijer-Ruskamp FM, Bonten MJ, Lundborg S, Verheij TJ. Self-medication with antibiotics in Europe: a case for action. *Current Drug Safety*. 2010;5(4):329–32.
- 46** Berzanskyte A, Valinteliene R, Haaijer-Ruskamp FM, Gurevicius R, Grigoryan L. Self-medication with antibiotics in Lithuania. *International Journal of Occupational Medicine & Environmental Health*. 2006;19(4):246–53.
- 47** Mainous AG 3rd, Cheng AY, Garr RC, Tilley BC, Everett CJ, McKee MD. Nonprescribed antimicrobial

#### 4 References

---

- drugs in Latino community, South Carolina. *Emerging Infectious Diseases*. 2005;11(6):883–8.
- 48 Morgan DJ, Okeke IN, Laxminarayan R, Perencevich EN, Weisenberg S. Non-prescription antimicrobial use worldwide: a systematic review. *Lancet Infectious Diseases*. 2011;11(9):692–701.
- 49 Santa-Ana-Tellez Y, Mantel-Teeuwisse AK, Dreser A, Leufkens HG, Wirtz VJ. Impact of over-the-counter restrictions on antibiotic consumption in Brazil and Mexico. *PLoS ONE*. 2013;8(10):e75550.
- 50 Raz R, Edelstein H, Grigoryan L, Haaijer-Ruskamp FM. Self-medication with antibiotics by a population in northern Israel. *Israeli Medical Association Journal*. 2005;7(11):722–5.
- 51 European Centre for Disease Prevention and Control. Surveillance of Antimicrobial Consumption in Europe 2012. Available from: <http://ecdc.europa.eu/en/publications/Publications/antimicrobial-consumption-europe-esac-net-2012.pdf> (last accessed 06 January 2016).
- 52 Lee GC, Reveles KR, Attridge RT, Lawson KA, Mansi IA, Lewis JS 2nd, et al. Outpatient antibiotic prescribing in the United States: 2000 to 2010. *BMC Medicine*. 2014;12:96-7015-12-96.
- 53 Versporten A, Coenen S, Adriaenssens N, Muller A, Minalu G, Faes C, et al. European Surveillance of Antimicrobial Consumption (ESAC): outpatient penicillin use in Europe (1997–2009). *Journal of Antimicrobial Chemotherapy*. 2011;66(Suppl. 6):vi13–23.
- 54 Versporten A, Coenen S, Adriaenssens N, Muller A, Minalu G, Faes C, et al. European Surveillance of Antimicrobial Consumption (ESAC): outpatient cephalosporin use in Europe (1997–2009). *Journal of Antimicrobial Chemotherapy*. 2011;66(Suppl. 6):vi25–35.
- 55 Adriaenssens N, Coenen S, Versporten A, Muller A, Minalu Ayele G, Faes C, et al. European Surveillance of Antimicrobial Consumption (ESAC): outpatient macrolide, lincosamide and streptogramin use in Europe (1997–2009). *Journal of Antimicrobial Chemotherapy*. 2011;66(Suppl. 6):vi37–45.
- 56 Adriaenssens N, Coenen S, Versporten A, Muller A, Minalu Ayele G, Faes C, et al. European Surveillance of Antimicrobial Consumption (ESAC): outpatient quinolone use in Europe (1997–2009). *Journal of Antimicrobial Chemotherapy*. 2011;66(Suppl. 6):vi47–56.
- 57 Coenen S, Adriaenssens N, Versporten A, Muller A, Minalu G, Faes C, et al. European Surveillance of Antimicrobial Consumption (ESAC): outpatient use of tetracyclines, sulphonamides and trimethoprim, and other antibacterials in Europe (1997–2009). *Journal of Antimicrobial Chemotherapy*. 2011;66(Suppl. 6):vi57–70.
- 58 Minalu G, Aerts M, Coenen S, Versporten A, Muller A, Adriaenssens N, et al. Application of mixed-effects models to study the country-specific outpatient antibiotic use in Europe: a tutorial on longitudinal data analysis. *Journal of Antimicrobial Chemotherapy*. 2011;66(Suppl. 6):vi79–87.
- 59 National Committee for Quality Assurance. HEDIS 2009 Summary Table of Measures, Product Lines and Changes. Available from: [http://www.ncqa.org/Portals/0/HEDISQM/HEDIS2009/2009\\_Measures.pdf](http://www.ncqa.org/Portals/0/HEDISQM/HEDIS2009/2009_Measures.pdf) (last accessed 18 November 2015).
- 60 Scottish Medicines Consortium & Scottish Antimicrobial Prescribing Group. Supporting Improvement in Antibiotic Prescribing in Primary Care: Reducing Total Antibiotic Use through a National Quality Indicator. Available from: [https://www.scottish-medicines.org.uk/SAPG/Quality\\_Improvement/Primary\\_Care](https://www.scottish-medicines.org.uk/SAPG/Quality_Improvement/Primary_Care) (last accessed 18 November 2015).
- 61 Adriaenssens N, Coenen S, Tonkin-Crine S, Verheij TJ, Little P, Goossens H, et al. European Surveillance of Antimicrobial Consumption (ESAC): disease-specific quality indicators for outpatient antibiotic prescribing. *British Medical Journal Quality & Safety*. 2011;20(9):764–72.
- 62 Adriaenssens N, Bartholomeeusen S, Ryckebosch P, Coenen S. Quality of antibiotic prescription during office hours and out-of-hours in Flemish primary care, using European quality indicators. *European Journal of General Practice*. 2014;20(2):114–20.
- 63 de Hoog ML, Venekamp RP, van der Ent CK, Schilder A, Sanders EA, Damoiseaux RA, et al. Impact of early daycare on healthcare resource use related to upper respiratory tract infections during childhood: prospective WHISTLER cohort study. *BMC Medicine*. 2014;12(1):107.
- 64 Keogh C, Motterlini N, Reulbach U, Bennett K, Fahey T. Antibiotic prescribing trends in a paediatric sub-population in Ireland. *Pharmacoepidemiology & Drug Safety*. 2012;21(9):945–52.
- 65 Blix HS, Engeland A, Litleskare I, Ronning M. Age- and gender-specific antibacterial prescribing

- in Norway. *Journal of Antimicrobial Chemotherapy*. 2007;59(5):971–6.
- 66** Spyridis N, Sharland M. The European Union Antibiotic Awareness Day: the paediatric perspective. *Archives of Disease in Childhood*. 2008;93(11):909–10.
- 67** Clavenna A, Bonati M. Differences in antibiotic prescribing in paediatric outpatients. *Archives of Disease in Childhood*. 2011;96(6):590–5.
- 68** Matuz M, Benko R, Elseviers M, Hajdu E, Doro P, Viola R, Soos Gy. Dosage form data used for estimating pediatric antibiotic use Scientia Pharmaceutica. 2015;83(3):511–8.
- 69** Kaguelidou F, de Bie S, Verhamme K, de Ridder M, Picelli G, Strauß S, et al. New quality indicators for paediatric antibiotic prescribing in primary care: a population based cohort study in the United Kingdom, Italy and the Netherlands from 1995–2010. *Archives of Disease in Childhood*. 2016;101(1):e1.
- 70** Basu S, Chatterjee M, Chandra PK, Basu S. Antibiotic misuse in children by the primary care physicians – an Indian experience. *Nigerian Journal of Clinical Practice*. 2008;11(1):52–7.
- 71** Friedman BC, Schwabe-Warf D, Goldman R. Reducing inappropriate antibiotic use among children with influenza infection. *Canadian Family Physician*. 2011;57(1):42–4.
- 72** Urkin J, Allenbogen M, Friger M, Vinker S, Reuveni H, Elahayani A. Acute pharyngitis: low adherence to guidelines highlights need for greater flexibility in managing paediatric cases. *Acta Paediatrica*. 2013;102(11):1075–80.
- 73** Huang YH, Huang YC. Use of antimicrobial agents for upper respiratory tract infections in Taiwanese children. *Chang Gung Medical Journal*. 2005;28(11):758–64.
- 74** Gaur AH, Hare ME, Shorr RI. Provider and practice characteristics associated with antibiotic use in children with presumed viral respiratory tract infections. *Pediatrics*. 2005;115(3):635–41.
- 75** Eckel N, Sarganas G, Wolf IK, Knopf H. Pharmacoepidemiology of common colds and upper respiratory tract infections in children and adolescents in Germany. *BMC Pharmacology & Toxicology*. 2014;15:44–6511-15-44.
- 76** Kenealy T, Arroll B. Antibiotics for the common cold and acute purulent rhinitis. *Cochrane Database of Systematic Reviews*. 2013;6:CD000247.
- 77** Keith T, Saxena S, Murray J, Sharland M. Risk-benefit analysis of restricting antimicrobial prescribing in children: what do we really know? *Current Opinions in Infectious Disease*. 2010;23(3):242–8.
- 78** Gavazzi G, Krause KH. Ageing and infection. *Lancet Infectious Diseases*. 2002;2(11):659–66.
- 79** Yoshikawa TT. Epidemiology and unique aspects of aging and infectious diseases. *Clinical Infectious Diseases*. 2000;30(6):931–3.
- 80** Christensen K, Doblhammer G, Rau R, Vaupel JW. Ageing populations: the challenges ahead. *Lancet*. 2009;374(9696):1196–208.
- 81** Loeb MB, Craven S, McGeer AJ, Simor AE, Bradley SF, Low DE, et al. Risk factors for resistance to antimicrobial agents among nursing home residents. *American Journal of Epidemiology*. 2003;157(1):40–7.
- 82** Blix HS, Roed J, Sti MO. Large variation in antibacterial use among Norwegian nursing homes. *Scandinavian Journal of Infectious Disease*. 2007;39(6–7):536–41.
- 83** Loeb M, Simor AE, Landry L, Walter S, McArthur M, Duffy J, et al. Antibiotic use in Ontario facilities that provide chronic care. *Journal of General Internal Medicine*. 2001;16(6):376–83.
- 84** McClean P, Hughes C, Tunney M, Goossens H, Jans B, European Surveillance of Antimicrobial Consumption (ESAC) Nursing Home Project Group. Antimicrobial prescribing in European nursing homes. *Journal of Antimicrobial Chemotherapy*. 2011;66(7):1609–16.
- 85** Albert X, Huertas I, Pereiro II, Sanfelix J, Gosálbez V, Perrota C. Antibiotics for preventing recurrent urinary tract infection in non-pregnant women. *Cochrane Database of Systematic Reviews*. 2004;3(3):CD001209.
- 86** Marwick CA, Yu N, Lockhart MC, McGuigan CC, Wiuff C, Davey PG, et al. Community-associated *Clostridium difficile* infection among older people in Tayside, Scotland, is associated with antibiotic exposure and care home residence: cohort study with nested case-control. *Journal of Antimicrobial Chemotherapy*. 2013;68(12):2927–33.
- 87** Scottish Antimicrobial Prescribing Group. Report on Antimicrobial Use and Resistance in Humans in 2012. Available from: <http://www.isdscotland.org/Health-Topics/Prescribing-and-Medicines/Publications/2014-01-28/2014-01-28-SAPG-2012-Report.pdf> (last accessed 18 November 2015).

## 6 References

---

- 98** Grol R. Personal paper. Beliefs and evidence in changing clinical practice. *British Medical Journal*. 1997;315(7105):418–21.
- 99** Teixeira Rodrigues A, Roque F, Falcao A, Figueiras A, Herdeiro MT. Understanding physician antibiotic prescribing behaviour: a systematic review of qualitative studies. *International Journal of Antimicrobial Agents*. 2013;41(3):203–12.
- 100** Almirall J, Bolíbar I, Serra-Prat M, Roig J, Hospital I, Carandell E, et al. New evidence of risk factors for community-acquired pneumonia: a population-based study. *European Respiratory Journal*. 2008;31(6):1274–84.
- 101** Deschepper R, Vander Stichele RH, Haaijer-Ruskamp FM. Cross-cultural differences in lay attitudes and utilisation of antibiotics in a Belgian and a Dutch city. *Patient Education & Counselling*. 2002;48(2):161–9.
- 102** Arnold SR, Straus SE. Interventions to improve antibiotic prescribing practices in ambulatory care. *Cochrane Database of Systematic Reviews*. 2005;4(4):CD003539.
- 103** Baik I, Curhan GC, Rimm EB, Bendich A, Willett WC, Fawzi WW. A prospective study of age and lifestyle factors in relation to community-acquired pneumonia in US men and women. *Archives of Internal Medicine*. 2000;160(20):3082–8.
- 104** Blix HS, Hjellvik V, Littleskare I, Ronning M, Tverdal A. Cigarette smoking and risk of subsequent use of antibacterials: a follow-up of 365,117 men and women. *Journal of Antimicrobial Chemotherapy*. 2011;66(9):2159–67.
- 105** de Roux A, Cavalcanti M, Marcos MA, Garcia E, Ewig S, Mensa J, et al. Impact of alcohol abuse in the etiology and severity of community-acquired pneumonia. *Chest*. 2006;129(5):1219–25.
- 106** Falagas ME, Kompoliti M. Obesity and infection. *Lancet Infectious Diseases*. 2006;6(7):438–46.
- 107** Koivula I, Sten M, Makela PH. Risk factors for pneumonia in the elderly. *American Journal of Medicine*. 1994;96(4):313–20.
- 108** Nuorti JP, Butler JC, Farley MM, Harrison LH, McGeer A, Kolczak MS, et al.; Active Bacterial Core Surveillance Team. Cigarette smoking and invasive pneumococcal disease. *New England Journal of Medicine*. 2000;342(10):681–9.
- 109** Rogers MA, Greene MT, Saint S, Chenoweth CE, Malani PN, Trivedi I, et al. Higher rates of Clostridium difficile infection among smokers. *PLoS ONE*. 2012;7(7):e42091.
- 110** Hulscher ME, van der Meer JW, Grol RP. Antibiotic use: how to improve it? *International Journal of Medical Microbiology*. 2010;300(6):351–6.
- 111** European Commission. Antimicrobial Resistance Report 2013. Available from: [http://ec.europa.eu/health/antimicrobial\\_resistance/docs/ebs\\_407\\_en.pdf](http://ec.europa.eu/health/antimicrobial_resistance/docs/ebs_407_en.pdf) (last accessed 18 November 2015).
- 112** Mangione-Smith R, McGlynn EA, Elliott MN, Krogstad P, Brook RH. The relationship between perceived parental expectations and pediatrician antimicrobial prescribing behavior. *Pediatrics*. 1999;103(4 Pt 1):711–18.
- 113** Earnshaw S, DL M, Duncan B, O'Toole J, Ekdahl K, Goossens H, et al. European Antibiotic Awareness Day, 2008 – the first Europe-wide public information campaign on prudent antibiotic use: methods and survey of activities in participating countries. *Eurosurveillance*. 2009;30:1–8.
- 114** Sabuncu E, David J, Bernede-Bauduin C, Pepin S, Leroy M, Boelle PY, et al. Significant reduction of antibiotic use in the community after a nationwide campaign in France, 2002–2007. *PLoS Medicine*. 2009;6(6):e1000084.
- 115** Coenen S, Costers M, De Corte S, De Sutter A, Goossens H. The first European Antibiotic Awareness Day after a decade of improving outpatient antibiotic use in Belgium. *Acta Clinica Belgica*. 2008;63(5):296–300.
- 116** Goossens H, Coenen S, Costers M, De Corte S, De Sutter A, Gordts B, et al. Achievements of the Belgian Antibiotic Policy Coordination Committee (BAPCOC). *Eurosurveillance*. 2008;13:10–13.
- 117** Huttner B, Goossens H, Verheij T, Harbarth S; the CHAMP Consortium. Characteristics and outcomes of public campaigns aimed at improving the use of antibiotics in outpatients in high-income countries. *Lancet Infectious Diseases*. 2010;10:17–31.
- 118** Edgar T, Boyd SD, Palame MJ. Sustainability for behaviour change in the fight against antibiotic resistance: a social marketing framework. *Journal of Antimicrobial Chemotherapy*. 2009;63(2):230–7.
- 119** Coenen S, Van Royen P, Michiels B, Denekens J. Optimizing antibiotic prescribing for acute cough in general practice: a cluster-randomized controlled trial. *Journal of Antimicrobial Chemotherapy*. 2004;54(3):661–72.

- 110** Cals JWJ, Butler CC, Hopstaken RM, Hood K, Dinant G. Effect of point of care testing for C reactive protein and training in communication skills on antibiotic use in lower respiratory tract infections: cluster randomised trial. *British Medical Journal*. 2009;338:b1374.
- 111** Francis NA, Butler CC, Hood K, Simpson S, Wood F, Nuttall J. Effect of using an interactive booklet about childhood respiratory tract infections in primary care consultations on reconsulting and antibiotic prescribing: a cluster randomised controlled trial. *British Medical Journal*. 2009;339:b2885.
- 112** Little P, Stuart B, Francis N, Douglas E, Tonkin-Crine S, Anthierens S, et al. Effects of internet-based training on antibiotic prescribing rates for acute respiratory-tract infections: a multinational, cluster, randomised, factorial, controlled trial. *Lancet*. 2013;382(9899):1175–82.
- 113** Donner A, Klar N. *Design and Analysis of Cluster Randomization Trials in Health Research*. London, Arnold, 2000.
- 114** Molstad S, Cars O, Struve J. Strama – a Swedish working model for containment of antibiotic resistance. *Eurosurveillance*. 2008;13(46):19041.
- 115** Molstad S, Erntell M, Hanberger H, Melander E, Norman C, Skoog G, et al. Sustained reduction of antibiotic use and low bacterial resistance: 10-year follow-up of the Swedish Strama programme. *Lancet Infectious Diseases*. 2008;8(2):125–32.
- 116** Furst J, Cizman M, Mrak J, Kos D, Campbell S, Coenen S, et al. The influence of a sustained multifaceted approach to improve antibiotic prescribing in Slovenia during the past decade: findings and implications. *Expert Review of Anti-Infective Therapy*. 2015;13(2):279–89.
- 117** Bavestrello L, Cabello A, Casanova D. Impact of regulatory measures in the trends of community consumption of antibiotics in Chile. *Revista Médica de Chile*. 2002;130(11):1265–72.
- 118** Australian Government, Department of Health. The Pharmaceutical Benefits Scheme (PBS) for Oral Ciprofloxacin. Available from: <http://www.pbs.gov.au/medicine/item/1208N> (last accessed 18 November 2015).
- 119** Park S, Soumerai SB, Adams AS, Finkelstein JA, Jang S, Ross-Degnan D. Antibiotic use following a Korean national policy to prohibit medi- cation dispensing by physicians. *Health Policy Plan*. 2005;20(5):302–9.
- 120** Vander Stichele RH, Elseviers MM, Ferech M, Blot S, Goossens H; European Surveillance of Antibiotic Consumption (ESAC) Project Group. Hospital consumption of antibiotics in 15 European countries: results of the ESAC Retrospective Data Collection (1997–2002). *Journal of Antimicrobial Chemotherapy*. 2006;58(1):159–67.
- 121** European Centre for Disease Prevention and Control. Antimicrobial Consumption Interactive Database (ESAC-Net). Available from: <http://www.ecdc.europa.eu/en/healthtopics/antimicrobial-resistance/esac-net-database/Pages/database.aspx> (last accessed 18 November 2015).
- 122** WHO Collaborating Centre for Drug Statistics Methodology. ATC/DDD Index 2013. Available from: [http://www.whocc.no/atc\\_ddd\\_index/](http://www.whocc.no/atc_ddd_index/) (last accessed 18 November 2015).
- 123** Kuster SP, Ruef C, Bollinger AK, Ledergerber B, Hintermann A, Deplazes C, et al. Correlation between case mix index and antibiotic use in hospitals. *Journal of Antimicrobial Chemotherapy*. 2008;62(4):837–42.
- 124** Ibrahim OM, Polk RE. Antimicrobial use metrics and benchmarking to improve stewardship outcomes: methodology, opportunities, and challenges. *Infectious Disease Clinics of North America*. 2014;28(2):195–214.
- 125** Ansari F, Molana H, Goossens H, Davey P; ESAC II Hospital Care Study Group. Development of standardized methods for analysis of changes in antibacterial use in hospitals from 18 European countries: the European Surveillance of Antimicrobial Consumption (ESAC) longitudinal survey, 2000–06. *Journal of Antimicrobial Chemotherapy*. 2010;65(12):2685–91.
- 126** Zarb P, Amadeo B, Muller A, Drapier N, Vankerckhoven V, Davey P, et al. Identification of targets for quality improvement in antimicrobial prescribing: the web-based ESAC Point Prevalence Survey 2009. *Journal of Antimicrobial Chemotherapy*. 2011;66(2):443–9.
- 127** Zarb P, Amadeo B, Muller A, Drapier N, Vankerckhoven V, Davey P, et al. Identification of targets for quality improvement in antimicrobial prescribing: the web-based ESAC Point Prevalence Survey 2009. *Journal of Antimicrobial Chemotherapy*. 2011;66(2):443–9.

- 128** Kuster SP, Ruef C, Ledergerber B, Hintermann A, Deplazes C, Neuber L, et al. Quantitative antibiotic use in hospitals: comparison of measurements, literature review, and recommendations for a standard of reporting. *Infection*. 2008;36(6):549–59.
- 129** Haug JB, Reikvam A. WHO defined daily doses versus hospital-adjusted defined daily doses: impact on results of antibiotic use surveillance. *Journal of Antimicrobial Chemotherapy*. 2013;68(12):2940–7.
- 130** Cizman M, Beovic B. Antibiotic hospital consumption expressed in defined daily doses (DDD)/100 bed-days. *Infection*. 2014;42(1):223–4.
- 131** Gagliotti C, Ricchizzi E, Buttazzi R, Tumietto F, Resi D, Moro ML. Hospital statistics for antibiotics: defined versus prescribed daily dose. *Infection*. 2014;42(5):869–73.
- 132** Irwin A, Sharland M. Measuring antibiotic prescribing in hospitalised children in resource-poor countries: a systematic review. *Journal of Paediatric and Child Health*. 2013;49(3):185–92.
- 133** Porta A, Hsia Y, Doerholt K, Spyridis N, Bielicki J, Menson E, et al. Comparing neonatal and paediatric antibiotic prescribing between hospitals: a new algorithm to help international benchmarking. *Journal of Antimicrobial Chemotherapy*. 2012;67(5):1278–86.
- 134** de With K, Steib-Bauert M, Straach P, Kern WV. Is there significant regional variation in hospital antibiotic consumption in Germany? *Infection*. 2006;34(5):274–77.
- 135** Benko R, Matuz M, Doro P, Viola R, Hajdu E, Monnet DL, et al. Hungarian hospital antibiotic consumption at the regional level, 1996–2005. *Infection*. 2009;37(2):133–7.
- 136** Blix HS, Hartug S. Hospital usage of antibacterial agents in relation to size and type of hospital and geographical situation. *Pharmacoepidemiology & Drug Safety*. 2005;14(9):647–9.
- 137** Amadeo B, Dumartin C, Robinson P, Venier AG, Parneix P, Gachie JP, et al. Easily available adjustment criteria for the comparison of antibiotic consumption in a hospital setting: experience in France. *Clinical Microbiology and Infection*. 2010;16(6):735–41.
- 138** MacDougall C, Polk RE. Variability in rates of use of antibacterials among 130 US hospitals and risk-adjustment models for interhospital com-
- parison. *Infection Control and Hospital Epidemiology*. 2008;29(3):203–11.
- 139** Muraki Y, Kitamura M, Maeda Y, Kitahara T, Mori T, Ikeue H, et al. Nationwide surveillance of antimicrobial consumption and resistance to *Pseudomonas aeruginosa* isolates at 203 Japanese hospitals in 2010. *Infection*. 2013;41(2):415–23.
- 140** Zarb P, Goossens H. European Surveillance of Antimicrobial Consumption (ESAC): value of a point-prevalence survey of antimicrobial use across Europe. *Drugs*. 2011;71(6):745–55.
- 141** Cooke DM, Salter AJ, Phillips I. The impact of antibiotic policy on prescribing in a London teaching hospital. A one-day prevalence survey as an indicator of antibiotic use. *Journal of Antimicrobial Chemotherapy*. 1983;11(5):447–53.
- 142** Ansari F, Erntell M, Goossens H, Davey P. The European surveillance of antimicrobial consumption (ESAC) point-prevalence survey of antibacterial use in 20 European hospitals in 2006. *Clinical Infectious Diseases*. 2009;49(10):1496–504.
- 143** Zarb P, Ansari F, Muller A, Vankerckhoven V, Davey PG, Goossens H. Drug utilization 75% (DU75%) in 17 European hospitals (2000–2005): results from the ESAC-2 Hospital Care Sub Project. *Current Clinical Pharmacology*. 2011;6(1):62–70.
- 144** Bergman U, Popa C, Tomson Y, Wettermark B, Einarson TR, Aberg H, et al. Drug utilization 90% – a simple method for assessing the quality of drug prescribing. *European Journal of Clinical Pharmacology*. 1998;54(2):113–18.
- 145** Braykov NP, Morgan DJ, Schweizer ML, Uslan DZ, Kelesidis T, Weisenberg SA, et al. Assessment of empirical antibiotic therapy optimisation in six hospitals: an observational cohort study. *Lancet Infectious Diseases*. 2014;14(12):1220–7.
- 146** Malcolm W, Nathwani D, Davey P, Cromwell T, Patton A, Reilly J, et al. From intermittent antibiotic point prevalence surveys to quality improvement: experience in Scottish hospitals. *Antimicrobial Resistance and Infection Control*. 2013;2(1):3–2994-2-3.
- 147** Schouten JA, Hulscher ME, Kullberg BJ, Cox A, Gyssens IC, van der Meer JW, et al. Understanding variation in quality of antibiotic use for community-acquired pneumonia: effect of patient, professional and hospital factors. *Journal of Antimicrobial Chemotherapy*. 2005;56(3):575–82.

- 148** van den Bosch CM, Hulscher ME, Natsch S, Gysens IC, Prins JM, Geerlings SE, et al. Development of quality indicators for antimicrobial treatment in adults with sepsis. *BMC Infectious Diseases*. 2014;14:345-2334-14-345.
- 149** Thern J, de With K, Strauss R, Steib-Bauert M, Weber N, Kern WV. Selection of hospital antimicrobial prescribing quality indicators: a consensus among German antibiotic stewardship (ABS) networkers. *Infection*. 2014;42(2):351–62.
- 150** National Centre for Biotechnology Information. NCBI Medline Thesaurus. Search term: antibiotic prophylaxis. Available from: <http://www.ncbi.nlm.nih.gov/mesh/?term=antibiotic+prophylaxis> (last accessed 18 November 2015).
- 151** Deverick JA, Sexton DJ. Antimicrobial prophylaxis for prevention of surgical site infection in adults. *UpToDate*. Available from: <http://www.uptodate.com/contents/antimicrobial-prophylaxis-for-prevention-of-surgical-site-infection-in-adults> (last accessed 18 November 2015).
- 152** Uckay I, Harbarth S, Peter R, Lew D, Hoffmeyer P, Pittet D. Preventing surgical site infections. *Expert Review of Anti-Infective Therapy*. 2010;8(6):657–70.
- 153** National Collaborating Centre for Women's and Children's Health (UK). *Surgical Site Infection: Prevention and Treatment of Surgical Site Infection*. London, RCOG Press, 2008.
- 154** Scottish Intercollegiate Guidelines Network. Antibiotic Prophylaxis in Surgery: A National Clinical Guideline. Available from: <http://www.sign.ac.uk/pdf/sign104.pdf> (last accessed 18 November 2015).
- 155** European Centre for Disease Prevention and Control. Surveillance Report. Point Prevalence Survey of Healthcare-Associated Infections and Antimicrobial Use in European Acute Care Hospitals 2011–2012. Available from: <http://ecdc.europa.eu/en/publications/Publications/healthcare-associated-infections-antimicrobial-use-PPS.pdf> (last accessed 18 November 2015).
- 156** Hohmann C, Eickhoff C, Radziwill R, Schulz M. Adherence to guidelines for antibiotic prophylaxis in surgery patients in German hospitals: a multicentre evaluation involving pharmacy interns. *Infection*. 2012;40(2):131–7.
- 157** Durando P, Bassetti M, Orengo G, Crimi P, Battistini A, Bellina D, et al. Adherence to international and national recommendations for the prevention of surgical site infections in Italy: results from an observational prospective study in elective surgery. *American Journal of Infection Control*. 2012;40(10):969–72.
- 158** Napolitano F, Izzo MT, Di Giuseppe G, Angelillo IF; Collaborative Working Group. Evaluation of the appropriate perioperative antibiotic prophylaxis in Italy. *PLoS ONE*. 2013;8(11):e79532.
- 159** Miliani K, L'Heriteau F, Astagneau P, INCISO Network Study Group. Non-compliance with recommendations for the practice of antibiotic prophylaxis and risk of surgical site infection: results of a multilevel analysis from the INCISO Surveillance Network. *Journal of Antimicrobial Chemotherapy*. 2009;64(6):1307–15.
- 160** Parulekar L, Soman R, Singhal T, Rodrigues C, Dastur FD, Mehta A. How good is compliance with surgical antibiotic prophylaxis guidelines in a tertiary care private hospital in India? A prospective study. *Indian Journal of Surgery*. 2009;71(1):15–18.
- 161** De Chiara S, Chiumello D, Nicolini R, Vigorelli M, Cesana B, Bottino N, et al. Prolongation of antibiotic prophylaxis after clean and clean-contaminated surgery and surgical site infection. *Minerva Anestesiologica*. 2010;76(6):413–19.
- 162** Harbarth S, Samore MH, Lichtenberg D, Carmeli Y. Prolonged antibiotic prophylaxis after cardiovascular surgery and its effect on surgical site infections and antimicrobial resistance. *Circulation*. 2000;101(25):2916–21.
- 163** Vincent JL, Rello J, Marshall J, Silva E, Anzueto A, Martin CD, et al. International study of the prevalence and outcomes of infection in intensive care units. *Journal of the American Medical Association*. 2009;302(21):2323–9.
- 164** Maki DG, Tsigris C. Nosocomial infection in the intensive care unit. In: Parrillo JE, ed. *Critical Care Medicine: Principles of Diagnosis and Management in the Adult*, 4th edn. Philadelphia, PA, Saunders, 2014.
- 165** Lipman J. Principles of antibiotic use. In: Bersten AD, Soni N. *Oh's Intensive Care Manual*, 7th edn. Oxford, Butterworth-Heinemann, 2014.
- 166** Hanberger H, Arman D, Gill H, Jindrak V, Kalenic S, Kurcz A, et al. Surveillance of microbial resistance in European Intensive Care Units: a first report from the Care-ICU programme for

- improved infection control. *Intensive Care Medicine*. 2009;35(1):91–100.
- 167 MacKenzie FM, Monnet DL, Gould IM; ARPAC Steering Group. Relationship between the number of different antibiotics used and the total use of antibiotics in European hospitals. *Journal of Antimicrobial Chemotherapy*. 2006;58(3):657–60.
- 168 Bonhoeffer S, Lipsitch M, Levin BR. Evaluating treatment protocols to prevent antibiotic resistance. *Proceedings of the National Academies of Science USA*. 1997;94(22):12 106–11.
- 169 Bonten MJ, Austin DJ, Lipsitch M. Understanding the spread of antibiotic resistant pathogens in hospitals: mathematical models as tools for control. *Clinical Infectious Diseases*. 2001;33(10):1739–46.
- 170 Sandiumenge A, Diaz E, Rodriguez A, Vidaur L, Canadell L, Olona M, et al. Impact of diversity of antibiotic use on the development of antimicrobial resistance. *Journal of Antimicrobial Chemotherapy*. 2006;57(6):1197–204.
- 171 Benko R, Matuz M, Peto Z, Bogar L, Viola R, Doro P, et al. Variations and determinants of antibiotic consumption in Hungarian adult intensive care units. *Pharmacoepidemiology & Drug Safety*. 2012;21(1):104–9.
- 172 Liem TB, Krediet TG, Fleer A, Egberts TC, Rademaker CM. Variation in antibiotic use in neonatal intensive care units in the Netherlands. *Journal of Antimicrobial Chemotherapy*. 2010;65(6):1270–5.
- 173 Stocker M, Ferrao E, Banya W, Cheong J, Macrae D, Furck A. Antibiotic surveillance on a paediatric intensive care unit: easy attainable strategy at low costs and resources. *BMC Pediatrics*. 2012;12:196–2431-12-196.
- 174 Bassetti M, De Gaudio R, Mazzei T, Morace G, Petrosillo N, Viale P, et al. A survey on infection management practices in Italian ICUs. *Critical Care*. 2012;16(6):R221.
- 175 Erlandsson M, Burman LG, Cars O, Gill H, Nilsson LE, Walther SM, et al. Prescription of antibiotic agents in Swedish intensive care units is empiric and precise. *Scandinavian Journal of Infectious Disease*. 2007;39(1):63–9.
- 176 Hulscher ME, Grol RP, van der Meer JW. Antibiotic prescribing in hospitals: a social and behavioural scientific approach. *Lancet Infectious Diseases*. 2010;10(3):167–75.
- 177 Borg MA. Prolonged perioperative surgical prophylaxis within European hospitals: an exercise in uncertainty avoidance? *Journal of Antimicrobial Chemotherapy*. 2014;69(4):1142–4.
- 178 Charani E, Castro-Sanchez E, Sevdalis N, Kyratsis Y, Drumright L, Shah N, et al. Understanding the determinants of antimicrobial prescribing within hospitals: the role of ‘prescribing etiquette’. *Clinical Infectious Diseases*. 2013;57(2):188–96.
- 179 Dellit TH, Owens RC, McGowan JE Jr, Gerding DN, Weinstein RA, Burke JP, et al. Infectious Diseases Society of America and the Society for Healthcare Epidemiology of America guidelines for developing an institutional program to enhance antimicrobial stewardship. *Clinical Infectious Diseases*. 2007;44(2):159–77.
- 180 Fishman N. Antimicrobial stewardship. *American Journal of Infection Control*. 2006;34(5 Suppl. 1) :S55–63; disc. S64–73.
- 181 Hamilton KW, Fishman NO. Antimicrobial stewardship interventions: thinking inside and outside the box. *Infectious Disease Clinics of North America*. 2014;28(2):301–13.
- 182 Charani E, Castro-Sanchez E, Holmes A. The role of behavior change in antimicrobial stewardship. *Infectious Disease Clinics of North America*. 2014;28(2):169–75.
- 183 van Buul LW, Sikkens JJ, van Agtmael MA, Kramer MH, van der Steen JT, Hertogh CM. Participatory action research in antimicrobial stewardship: a novel approach to improving antimicrobial prescribing in hospitals and long-term care facilities. *Journal of Antimicrobial Chemotherapy*. 2014;69(7):1734–41.
- 184 Imai-Kamata S, Fushimi K. Factors associated with adherence to prophylactic antibiotic therapy for elective general surgeries in Japan. *International Journal of Quality Health Care*. 2011;23(2):167–72.
- 185 Tourmousoglou CE, Yiannakopoulou EC, Kalapothaki V, Bramis J, St Papadopoulos J. Adherence to guidelines for antibiotic prophylaxis in general surgery: a critical appraisal. *Journal of Antimicrobial Chemotherapy*. 2008;61(1):214–18.
- 186 Schmitt C, Lacerda RA, Padoveze MC, Turrini RN. Applying validated quality indicators to surgical antibiotic prophylaxis in a Brazilian hospital: learning what should be learned. *American Journal of Infection Control*. 2012;40(10):960–2.

- 187** Young B, Ng TM, Teng C, Ang B, Tai HY, Lye DC. Nonconcordance with surgical site infection prevention guidelines and rates of surgical site infections for general surgical, neurological, and orthopedic procedures. *Antimicrobial Agents and Chemotherapy*. 2011;55(10):4659–63.
- 188** Mahdaviazad H, Masoompour SM, Askarian M. Iranian surgeons' compliance with the American Society of Health-System Pharmacists guidelines: antibiotic prophylaxis in private versus teaching hospitals in Shiraz, Iran. *Journal of Infection and Public Health*. 2011;4(5–6):253–9.
- 189** Hawkins RB, Levy SM, Senter CE, Zhao JY, Doody K, Kao LS, et al. Beyond surgical care improvement program compliance: antibiotic prophylaxis implementation gaps. *American Journal of Surgery*. 2013;206(4):451–6.
- 190** van Kasteren ME, Kullberg BJ, de Boer AS, Mintjes-de Groot J, Gyssens IC. Adherence to local hospital guidelines for surgical antimicrobial prophylaxis: a multicentre audit in Dutch hospitals. *Journal of Antimicrobial Chemotherapy*. 2003;51(6):1389–96.