

# References

## Chapter 37

- 1 Bosworth HB, Granger BB, Mendys P, Brindis R, Burkholder R, Czajkowski SM, et al. Medication adherence: a call for action. *American Heart Journal*. 2011;**162**(3):412–24.
- 2 World Health Organization. *Adherence to Long-Term Therapies: Evidence for Action*. Geneva, World Health Organization, 2003.
- 3 World Health Organization. *Introduction to Drug Utilization Research*. Geneva, World Health Organization, 2003.
- 4 Lehmann A, Aslani P, Ahmed R, Celio J, Gauchet A, Bedouch P, et al. Assessing medication adherence: options to consider. *International Journal of Clinical Pharmacy*. 2014;**36**(1):55–69.
- 5 Nieuwlaat R, Wilczynski N, Navarro T, Hobson N, Jeffery R, Keenanasseril A, et al. Interventions for enhancing medication adherence. *Cochrane Database of Systematic Reviews*. 2014;**11**:Cd000011.
- 6 Viswanathan M, Golin CE, Jones CD, Ashok M, Blalock SJ, Wines RC, et al. Interventions to improve adherence to self-administered medications for chronic diseases in the United States: a systematic review. *Annals of Internal Medicine*. 2012;**157**(11):785–95.
- 7 Zullig LL, Peterson ED, Bosworth HB. Ingredients of successful interventions to improve medication adherence. *Journal of the American Medical Association*. 2013;**310**(24):2611–12.
- 8 International Pharmaceutical Federation. Joint FIP/WHO Guidelines on GPP: Standards for Quality of Pharmacy Services. Available from: [https://www.fip.org/www/uploads/database\\_file.php?id=331&table\\_id=](https://www.fip.org/www/uploads/database_file.php?id=331&table_id=) (last accessed 18 November 2015).
- 9 Epstein RM, Street RL Jr. The values and value of patient-centered care. *Annals of Family Medicine*. 2011;**9**(2):100–3.
- 10 Kardas P, Lewek P, Matyjasczyk M. Determinants of patient adherence: a review of systematic reviews. *Frontiers in Pharmacology*. 2013;**4**:91.
- 11 Vrijens B, De Geest S, Hughes DA, Przemyslaw K, Demonceau J, Ruppard T, et al. A new taxonomy for describing and defining adherence to medications. *British Journal of Clinical Pharmacology*. 2012;**73**(5):691–705.
- 12 Haynes RB, Ackloo E, Sahota N, McDonald HP, Yao X. Interventions for enhancing medication adherence. *Cochrane Database of Systematic Reviews*. 2008;**2**:CD000011.
- 13 Ho PM, Lambert-Kerzner A, Carey EP, Fahdi IE, Bryson CL, Melnyk SD, et al. Multifaceted intervention to improve medication adherence and secondary prevention measures after acute coronary syndrome hospital discharge: a randomized clinical trial. *Journal of the American Medical Association Internal Medicine*. 2014;**174**(2):186–93.
- 14 Oberje EJ, de Kinderen RJ, Evers SM, van Woerkum CM, de Bruin M. Cost effectiveness of medication adherence-enhancing interventions: a systematic review of trial-based economic evaluations. *Pharmacoeconomics*. 2013;**31**(12):1155–68.
- 15 Farooq S, Nazar Z, Irfan M, Akhter J, Gul E, Irfan U, et al. Schizophrenia medication adherence in a resource-poor setting: randomised controlled trial of supervised treatment in out-patients for schizophrenia (STOPS). *British Journal of Psychiatry*. 2011;**199**(6):467–72.
- 16 Gray R, Leese M, Bindman J, Becker T, Burti L, David A, et al. Adherence therapy for people with schizophrenia. European multicentre randomised

- controlled trial. *British Journal of Psychiatry*. 2006;**189**(Dec):508–14.
- 17** Lester RT, Ritvo P, Mills EJ, Kariri A, Karanja S, Chung MH, et al. Effects of a mobile phone short message service on antiretroviral treatment adherence in Kenya (WelTel Kenya1): a randomised trial. *Lancet*. 2010;**376**(9755):1838–45.
- 18** Morgado M, Rolo S, Castelo-Branco M. Pharmacist intervention program to enhance hypertension control: a randomised controlled trial. *International Journal of Clinical Pharmacy*. 2011;**33**(1):132–40.
- 19** Wu AW, Snyder CF, Huang IC, Skolasky R, McGruder HF, Celano SA, et al. A randomized trial of the impact of a programmable medication reminder device on quality of life in patients with AIDS. *AIDS Patient Care and STDs*. 2006;**20**(11):773–81.
- 20** Zwikker HE, van den Bemt BJ, Vriesekolk JE, van den Ende CH, van Dulmen S. Psychosocial predictors of non-adherence to chronic medication: systematic review of longitudinal studies. *Patient Preference and Adherence*. 2014;**8**:519–63.
- 21** Horne R, Buick D, Fisher M, Leake H, Cooper V, Weinman J. Doubts about necessity and concerns about adverse effects: identifying the types of beliefs that are associated with non-adherence to HAART. *International Journal of STDs and AIDS*. 2004;**15**(1):38–44.
- 22** Munro SA, Lewin SA, Swart T, Volmink J. A review of health behaviour theories: how useful are these for developing interventions to promote long-term medication adherence for TB and HIV/AIDS? *BMC Public Health*. 2007;**7**(1):104.
- 23** de Bruin M, Hospers HJ, van den Borne HW, Kok G, Prins JM. Theory- and evidence-based intervention to improve adherence to antiretroviral therapy among HIV-infected patients in the Netherlands: a pilot study. *AIDS Patient Care and STDs*. 2005;**19**(6):384–94.
- 24** Van Camp YP, Van Rompaey B, Elseviers MM. Nurse-led interventions to enhance adherence to chronic medication: systematic review and meta-analysis of randomised controlled trials. *European Journal of Clinical Pharmacology*. 2013;**69**(4):761–70.
- 25** Schneider MP, Gertsch A, Bugnon O. Cyberhealth serving to support individual intake of medication. *Swiss Medical Weekly*. 2013;**143**:w13827.
- 26** Urquhart J. The electronic medication event monitor: lessons for pharmacotherapy. *Clinical Pharmacokinetics*. 1997;**32**(5):345–56.
- 27** Vrijens B, Vincze G, Kristanto P, Urquhart J, Burnier M. Adherence to prescribed antihypertensive drug treatments: longitudinal study of electronically compiled dosing histories. *British Medical Journal*. 2008;**336**(7653):1114–17.
- 28** Demonceau J, Ruppert T, Kristanto P, Hughes DA, Fargher E, Kardas P, et al. Identification and assessment of adherence-enhancing interventions in studies assessing medication adherence through electronically compiled drug dosing histories: a systematic literature review and meta-analysis. *Drugs*. 2013;**73**(6):545–62.
- 29** Vervloet M, Linn AJ, van Weert JC, de Bakker DH, Bouvy ML, van Dijk L. The effectiveness of interventions using electronic reminders to improve adherence to chronic medication: a systematic review of the literature. *Journal of the American Medical Informatics Association*. 2012;**19**(5):696–704.
- 30** Linn AJ, Vervloet M, van Dijk L, Smit EG, Van Weert JC. Effects of eHealth interventions on medication adherence: a systematic review of the literature. *Journal of Medical Internet Research*. 2011;**13**(4):e103.
- 31** Hugtenburg JG, Timmers L, Elders PJ, Vervloet M, van Dijk L. Definitions, variants, and causes of nonadherence with medication: a challenge for tailored interventions. *Patient Preference and Adherence*. 2013;**7**:675–82.
- 32** Lauver DR, Ward SE, Heidrich SM, Keller ML, Bowers BJ, Brennan PF, et al. Patient-centered interventions. *Research in Nursing & Health*. 2002;**25**(4):246–55.
- 33** Blanc X, Collet T, Auer R, Fischer R, Locatelli I, Cornuz J. Do major journals in general internal medicine care about Shared Decision Making? A systematic review of 15 journals between 1996 and 2011. Available from: [http://www.samw.ch/dms/de/Forschung/Bangerter/Symposium-2012/Poster/3\\_Blanc.pdf](http://www.samw.ch/dms/de/Forschung/Bangerter/Symposium-2012/Poster/3_Blanc.pdf) (last accessed 18 November 2015).
- 34** Fleury J, Cameron K. The index of readiness. In: Strickland OL, Dilorio C, eds. *Measurement of Nursing Outcomes*, 2nd edn. Berlin, Springer, 2003: 265–75.
- 35** Prochaska JO, Velicer WF. The transtheoretical model of health behavior change. *American Journal of Health Promotion*. 1997;**12**(1):38–48.

- 36 Daeppen JB, Fortini C, Bertholet N, Bonvin R, Berney A, Michaud PA, et al. Training medical students to conduct motivational interviewing: a randomized controlled trial. *Patient Education Counsel*. 2012;**87**(3):313–18.
- 37 Miller WR, Rollnick S. *Motivational Interviewing: Helping People Change*. New York, Guilford Press, 2012.
- 38 Shaw RJ, Kaufman MA, Bosworth HB, Weiner BJ, Zullig LL, Lee SY, et al. Organizational factors associated with readiness to implement and translate a primary care based telemedicine behavioral program to improve blood pressure control: the HTN-IMPROVE study. *Implementation Science*. 2013;**8**:106.
- 39 Peters DH, Adam T, Alonge O, Agyepong IA, Tran N. Implementation research: what it is and how to do it. *British Medical Journal*. 2013;**347**:f6753.
- 40 Mugavero MJ, Davila JA, Nevin CR, Giordano TP. From access to engagement: measuring retention in outpatient HIV clinical care. *AIDS Patient Care and STDs*. 2010;**24**(10):607–13.
- 41 Bosworth HB. The changing face of general internal medicine and lessons learned from geriatric medicine. *Journal of General Internal Medicine*. 2014;**29**(6):824–6.
- 42 D'Amour D, Ferrada-Videla M, San Martin Rodriguez L, Beaulieu MD. The conceptual basis for interprofessional collaboration: core concepts and theoretical frameworks. *Journal of Interprofessional Care*. 2005;**19**(Suppl. 1):116–31.
- 43 Choi BC, Pak AW. Multidisciplinarity, interdisciplinarity and transdisciplinarity in health research, services, education and policy: 1. Definitions, objectives, and evidence of effectiveness. *Clinical and Investigative Medicine*. 2006;**29**(6):351–64.
- 44 Allen DD, Penn MA, Nora LM. Interdisciplinary healthcare education: fact or fiction? *American Journal of Pharmaceutical Education*. 2006;**70**(2):39.
- 45 Schneider MP, Locca JF, Bugnon O, Conzelmann M. [Drug compliance in the elderly: determinants and support.] *Revue Médicale Suisse*. 2006;**2**(56):664–70.
- 46 World Medical Association. World's health professions call for new emphasis on working together. Available from: [http://www.wma.net/en/40news/20archives/2013/2013\\_16/](http://www.wma.net/en/40news/20archives/2013/2013_16/) (last accessed 18 November 2015).
- 47 de la Tribonnière X. L'interdisciplinarité en éducation thérapeutique du patient: du concept à une proposition de critères d'évaluation. *Education Thérapeutique du Patient*. 2013;**5**(1):163–76.
- 48 Atwal A, Caldwell K. Do multidisciplinary integrated care pathways improve interprofessional collaboration? *Scandinavian Journal of Caring Sciences*. 2002;**16**(4):360–7.
- 49 Doggrell SA. Adherence to medicines in the older-aged with chronic conditions: does intervention by an allied health professional help? *Drugs & Aging*. 2010;**27**(3):239–54.
- 50 Harmon G, Lefante J, Krousel-Wood M. Overcoming barriers: the role of providers in improving patient adherence to antihypertensive medications. *Current Opinions in Cardiology*. 2006;**21**(4):310–15.
- 51 Shrank WH. Helping our patients to adhere to chronic medications: a new arrow for the quiver. *Journal of General Internal Medicine*. 2011;**26**(12):1394–5.
- 52 Carrion JA, Gonzalez-Colominas E, Garcia-Retortillo M, Canete N, Cirera I, Coll S, et al. A multidisciplinary support programme increases the efficiency of pegylated interferon alfa-2a and ribavirin in hepatitis C. *Journal of Hepatology*. 2013;**59**(5):926–33.
- 53 Bandura A. Self-efficacy: toward a unifying theory of behavioral change. *Psychological Review*. 1977;**84**(2):191–215.
- 54 Nachega JB, Parienti JJ, Uthman OA, Gross R, Dowdy DW, Sax PE, et al. Lower pill burden and once-daily antiretroviral treatment regimens for HIV infection: a meta-analysis of randomized controlled trials. *Clinical Infectious Diseases*. 2014;**58**(9):1297–1307.
- 55 Bedouch P, Roustit M, Quétant S, Chapuis C, Baudrant-Boga M, Lehmann A, et al. Development of a pharmacist collaborative care program for pulmonary arterial hypertension. *International Journal of Clinical Pharmacy*. 2011;**33**(6):898–901.
- 56 Celio J, Ninane F, Cavassini M, Bugnon O, Schneider MP. Interdisciplinary collaboration pharmacists-nurses and medication adherence programs: a review. Available from: [http://www.espacomp.eu/pdf/02\\_Celio-1.pdf](http://www.espacomp.eu/pdf/02_Celio-1.pdf) (last accessed 18 November 2015).
- 57 Winkeljohn DL. Oral chemotherapy medications: the need for a nurse's touch. *Clinical Journal of Oncology Nursing*. 2007;**11**(6):793–6.
- 58 Roberts AS, Benrimoj SI, Chen TF, Williams KA, Aslani P. Implementing cognitive services in community pharmacy: a review of facilitators used in

- practice change. *International Journal of Pharmacy Practice*. 2006;**14**(3):163–70.
- 59** Mansoor SM, Krass I, Aslani P. Multiprofessional interventions to improve patient adherence to cardiovascular medications. *Journal of Cardiovascular Pharmacology and Therapeutics*. 2013;**18**(1):19–30.
- 60** Van Camp YP, Huybrechts SA, Van Rompaey B, Elseviers MM. Nurse-led education and counselling to enhance adherence to phosphate binders. *Journal of Clinical Nursing*. 2012;**21**(9–10):1304–13.
- 61** Krummenacher I, Cavassini M, Bugnon O, Schneider MP. An interdisciplinary HIV-adherence program combining motivational interviewing and electronic antiretroviral drug monitoring. *AIDS Care*. 2011;**23**(5):550–61.
- 62** Farris KB, Cote I, Feeny D, Johnson JA, Tsuyuki RT, Brilliant S, et al. Enhancing primary care for complex patients: demonstration project using multidisciplinary teams. *Canadian Family Physician*. 2004;**50**:998–1003.
- 63** Albert NM. Improving medication adherence in chronic cardiovascular disease. *Critical Care Nurse*. 2008;**28**(5):54–64.
- 64** Stuurman-Bieze AG, Hiddink EG, van Boven JF, Vegter S. Proactive pharmaceutical care interventions improve patients' adherence to lipid-lowering medication. *Annals of Pharmacotherapy*. 2013;**47**(11):1448–56.